

HPG

MISSION

<http://www.hopingbearing.com>



Hoping Enterprise Co., Ltd. _____
Zhejiang Changxing Xin Rui Machinery Co., Ltd.

COMPANY PROFILE

Hoping Enterprise is a manufacturer and global supplier of reliable bearings to target industries. We offer a full range of cylindrical roller bearing, tapered roller bearing, needle roller bearing, angular contact ball bearing, agricultural bearing, non-standard bearing and their accessories and parts, which are widely applied in agriculture, automotive/heavy truck, mining, construction, bearing manufacturers and machine tools with good reputation from domestic and worldwide customers.

With over 10 years development and experience, instituting an identifiable and efficient trail 'from raw materials to suppliers,' will ensure that products are reliable and excellent in cost performance.

Pursuant to ISO9001 and GOST standard, HPG Bearings is a complete, one-stop supplier to OEM's and to wholesalers by organizing group companies. We have invested in Jiangsu Province ,Zhejiang Province and Taiwan on related bearing processing companies.

Our mission is to provide products and service that create more value.

Our vision is to consistently exceed expectations for clients, suppliers and employees.

Why Choose Us?

- We offer and deliver our customers Customization and high quality products.
- Our excellent cost performance is your better solution of purchase.
- Our professional team will always support you with comprehensive service and tech
- We are your worthy and flexible partner





CYLINDRICAL ROLLER BEARINGS	1
TAPERED ROLLER BEARINGS.....	3
ANGULAR CONTACT BALL BEARINGS	8
SELF-ALIGNING BALL BEARINGS DOUBLE ROW WITH ADAPTER SLEEVES.....	10
SELF-ALIGNING BALL BEARINGS DOUBLE ROW	11
DEEP GROOVE BALL BEARINGS SINGLE ROW	12
THRUST BALL BEARINGS SINGLE DIRECTION	13
SPHERICAL PLAIN BEARINGS	16
AUTOMATIVE CLUTCH BEARINGS	18
CLUTCH RELEASE BEARING.....	18
NEEDLE BEARINGS	19
NON-STANDARD BEARINGS	21

HPG

MISSION






*For the management of
"zero defect, zero complaints"
as the quality objective.
To perfect our service, we provide the products
with the high quality at the reasonable price.*


HPG

MISSION








ISO	GOST	Dimensions (mm)			Weight (kg)
		d	D	B	
N,NU,NJ,NF 204	2204 - 32204 - 42204 - 12204	20	47	14	0,11
N,NU,NJ,NF 205	2205 - 32205 - 42205 - -----	25	52	15	0,13
N,NU,NJ,NF 206	2206 - 32206 - 42206 - -----	30	62	16	0,20
N,NU,NJ,NF 207	2207 - 32207 - 42207 - 12207	35	72	17	0,30
N,NU,NJ,NF 208	2208 - 32208 - 42208 - 12208	40	80	18	0,37
N,NU,NJ,NF 209	2209 - 32209 - 42209 - -----	45	85	19	0,43
N,NU,NJ,NF 210	2210 - 32210 - 42210 - 12210	50	90	20	0,48
N,NU,NJ,NF 211	2211 - 32211 - 42211 - 12211	55	95	21	0,66
N,NU,NJ,NF 212	2212 - 32212 - 42212 - 12212	60	110	22	0,81
N,NU,NJ,NF 213	2213 - 32213 - 42213 - 12213	65	120	23	1,05
N,NU,NJ,NF 214	2214 - 32214 - ----- - -----	70	125	24	1,15
N,NU,NJ,NF 215	2215 - 32215 - 42215 - -----	75	130	25	1,25
N,NU,NJ,NF 216	2216 - 32216 - 42216 - -----	80	140	26	1,50
N,NU,NJ,NF 217	2217 - ----- - 42217 - -----	85	150	28	1,90
N,NU,NJ,NF 218	2218 - 32218 - 42218 - 12218	90	160	30	2,35
N,NU,NJ,NF 219	----- - 32219 - 42219 - -----	95	170	32	2,85
N,NU,NJ,NF 220	2220 - 32220 - ----- - -----	100	180	34	3,45
N,NU,NJ,NF 222	2222 - 32222 - ----- - -----	110	200	38	4,80
N,NU,NJ,NF 224	2224 - 32224 - 42224 - -----	120	215	40	5,75
N,NU,NJ,NF 226	2226 - 32226 - 42226 - -----	130	230	40	6,45
N,NU,NJ,NF 228	2228 - 32228 - 42228 - 12228	140	250	42	8,30
N,NU,NJ,NF 230	2230 - 32230 - 42230 - -----	150	270	45	10,50





ISO	GOST	Dimensions (mm)			Weight (kg)
		d	D	B	
N,NU,NJ,NF 305	2305 - ----- - 42305 - -----	25	62	17	0,24
N,NU,NJ,NF 306	2306 - 32306 - 42306 - -----	30	72	19	0,36
N,NU,NJ,NF 307	2307 - ----- - 42307 - 12307	35	80	21	0,48
N,NU,NJ,NF 308	2308 - 32308 - 42308 - 12308	40	90	23	0,65
N,NU,NJ,NF 309	2309 - 32309 - 42309 - 12309	45	100	25	0,90
N,NU,NJ,NF 310	2310 - 32310 - 42310 - 12310	50	110	27	1,15
N,NU,NJ,NF 311	2311 - 32311 - 42311 - 12311	55	120	29	1,45
N,NU,NJ,NF 312	2312 - 32312 - 42312 - 12312	60	130	31	1,80
N,NU,NJ,NF 313	2313 - 32313 - 42313 - -----	65	140	33	2,25
N,NU,NJ,NF 314	2314 - 32314 - 42314 - -----	70	150	35	2,75
N,NU,NJ,NF 315	2315 - 32315 - 42315 - 12315	75	160	37	3,30
N,NU,NJ,NF 316	2316 - 32316 - 42316 - 12316	80	170	39	3,95
N,NU,NJ,NF 317	2317 - 32317 - 42317 - -----	85	180	41	4,70
N,NU,NJ,NF 318	2318 - 32318 - 42318 - 12318	90	190	43	5,45
N,NU,NJ,NF 319	2319 - 32319 - 42319 - -----	95	200	45	6,26
N,NU,NJ,NF 320	2320 - 32320 - 42320 - 12320	100	215	47	7,60
N,NU,NJ,NF 322	2322 - 32322 - 42322 - -----	110	240	50	10,50
N,NU,NJ,NF 324	2324 - 32324 - 42324 - -----	120	260	55	13,50
N,NU,NJ,NF 326	2326 - 32326 - 42326 - -----	130	280	58	18,50
N,NU,NJ,NF 328	----- - 32328 - 42328 - -----	140	300	62	22,50
N,NU,NJ,NF 330	----- - 32330 - 42330 - -----	150	320	65	27,50
N,NU,NJ,NF 408	----- - ----- - 42408 - -----	40	110	27	1,30
N,NU,NJ,NF 409	2409 - ----- - 42409 - 12409	45	120	29	1,62
N,NU,NJ,NF 410	----- - 32410 - 42410 - 12410	50	130	31	2,00
N,NU,NJ,NF 411	2411 - ----- - 42411 - 12411	55	140	33	2,50
N,NU,NJ,NF 412	----- - 32412 - 42412 - -----	60	150	35	3,00
N,NU,NJ,NF 413	2413 - 32413 - 42413 - -----	65	160	37	3,60
N,NU,NJ,NF 414	----- - 32414 - ----- - -----	70	180	42	5,25
N,NU,NJ,NF 415	----- - ----- - 42415 - -----	75	190	45	6,25
N,NU,NJ,NF 416	2416 - 32416 - ----- - 12416	80	200	48	7,30
N,NU,NJ,NF 417	----- - 32417 - 42417 - -----	85	210	52	8,70
N,NU,NJ,NF 418	----- - 32418 - ----- - 12418	90	225	54	10,50
N,NU,NJ,NF 419	----- - 32419 - ----- - -----	95	240	55	13,50





ISO	GOST	Dimensions (mm)			Weight (kg)
		d	D	T	
30302	7302	15	42	14,25	0,110
30303	7303	17	47	15,25	0,130
30304	7304	20	52	16,25	0,170
30305	7305	25	62	18,25	0,260
30306	7306	30	72	20,75	0,380
30307	7307	35	80	22,75	0,507
30308	7308	40	90	25,25	0,700
30309	7309	45	100	27,25	0,940
30310	7310	50	110	29,25	1,200
30311	7311	55	120	31,50	1,670
30312	7312	60	130	33,50	1,900
30313	7313	65	140	36,00	2,330
30314	7314	70	150	38,00	3,040
30315	7315	75	160	40,00	3,540
30316	7316	80	170	42,50	4,400
30317	7317	85	180	44,50	4,750
30318	7318	90	190	46,50	6,030
30319	7319	95	200	49,50	6,520
30320	7320	100	215	51,50	7,900
30321		105	225	53,50	9,150
30322		110	240	54,50	11,00
30324		120	260	59,50	14,00
30326		130	280	63,75	16,70
30328		140	300	67,75	20,40
30330		150	320	72,00	24,70





ISO	GOST	Dimensions (mm)			Weight (kg)
		d	D	T	
32203	7503	17	40	17,25	0,102
32204	7504	20	47	19,25	0,160
32205	7505	25	52	19,25	0,179
32206	7506	30	62	21,25	0,280
32207	7507	35	72	24,25	0,420
32208	7508	40	80	24,75	0,555
32209	7509	45	85	24,75	0,576
32210	7510	50	90	24,75	0,644
32211	7511	55	100	26,75	0,880
32212	7512	60	110	29,75	1,200
32213	7513	65	120	32,75	1,480
32214	7514	70	125	33,25	1,680
32215	7515	75	130	33,25	1,770
32216	7516	80	140	35,25	2,000
32217	7517	85	150	38,50	2,500
32218	7518	90	160	42,50	3,270
32219	7519	95	170	45,50	3,970
32220	7520	100	180	49,50	4,990
32221	7521	105	190	53,00	5,870
32222	7522	110	200	56,00	6,900
32224	7524	120	215	61,50	8,750
32226	7526	130	230	67,75	11,20
32228	7528	140	250	71,75	14,10
32230	7530	150	270	77,00	16,80





ISO	GOST	Dimensions (mm)			Weight (kg)
		d	D	T	
32303		17	47	20,25	0,180
32304	7604	20	52	22,25	0,250
32305	7605	25	62	25,25	0,380
32306	7606	30	72	28,75	0,580
32307	7607	35	80	32,75	0,730
32308	7608	40	90	35,25	1,020
32309	7609	45	100	38,25	1,470
32310	7610	50	110	42,25	1,800
32311	7611	55	120	45,50	2,290
32312	7612	60	130	48,50	2,750
32313	7613	65	140	51,00	3,340
32314	7614	70	150	54,00	4,090
32315	7615	75	160	58,00	4,970
32316	7616	80	170	61,50	5,900
32317	7617	85	180	63,50	6,850
32318	7618	90	190	67,50	8,230
32320	7620	100	215	77,50	12,00
32322	7622	110	240	84,50	19,00
32324	7624	120	260	90,50	24,00
32326		130	280	98,75	26,20
32328		140	300	107,75	33,10
32330		150	320	114,00	39,30





ISO	GOST	Dimensions (mm)			Weight (kg)
		d	D	T	
32004	2007104	20	42	15	0,095
32005	2007105	25	47	15	0,110
32006	2007106	30	55	17	0,170
32007	2007107	35	62	18	0,225
32008	2007108	40	68	19	0,279
32009	2007109	45	75	20	0,346
32010	2007110	50	80	20	0,370
32011	2007111	55	90	23	0,568
32012	2007112	60	95	23	0,586
32013	2007113	65	100	23	0,646
32014	2007114	70	110	25	0,857
32015	2007115	75	115	25	0,922
32016	2007116	80	125	29	1,280
32017	2007117	85	130	29	1,300
32018	2007118	90	140	32	1,780
32019	2007119	95	145	32	1,820
32020	2007120	100	150	32	1,930
32021	2007121	105	160	35	2,540
32022	2007122	110	170	38	3,020
32024	2007124	120	180	38	3,400
32026	2007126	130	200	45	4,950
32028	2007128	140	210	45	5,046
32030		150	225	48	6,560
32032X	2007132	160	240	51	7,919
32034X	2007134	170	260	57	10,50
32036X	2007136	180	280	64	13,50
32038X	2007138	190	290	64	14,40
32040X	2007140	200	310	70	18,50




ISO	SKF	Dimensions (mm)			Weight (kg)
		d	D	T	
33011	VKHB 2156	55	90	27	0,700
33015	VKHB 2046	75	115	31	1,150
33017	VKHB 2321	85	130	36	1,740
33019	VKHB 2082	95	145	39	2,290
33020	VKHB 2124	100	150	39	2,390
33021	VKHB 2162	105	160	43	3,050
33022	VKHB 2163	110	170	47	3,890
33109	VKHB 2056	45	80	26	0,560
33111	VKHB 2059	55	95	30	0,860
33113	VKHB 2214	65	110	34	1,300
33115	VKHB 2222	75	125	37	1,800
33116	VKHB 2326	80	130	37	1,900
33117	VKHB 2158	85	140	41	2,500
33118	VKHB 2331	90	150	45	3,130
33205	VKHB 2057	25	52	22	0,215
33208	VKHB 2065	40	80	32	0,716
33209	VKHB 2067	45	85	32	0,820
33210	VKHB 2068	50	90	32	0,830
33211	VKHB 2061	55	100	35	1,200
33213	VKHB 2051	65	120	41	1,910
33214	VKHB 2066	70	125	41	2,170
33215	VKHB 2028	75	130	41	2,270
33217	VKHB 2225	85	150	49	3,700
32924	VKHB 2247	120	165	29	2,210
218248/W2A/210/2A	VKHB 2029	89,975	146,975	40	2,515
39580/w/2/39520/2	VKHB 2036	57,150	112,712	30,162	1,361
39590/39520	VKHB 2175	66,675	112,712	30,162	1,144
53178/53377		44,450	95,250	30,958	0,893
663/653	VKHB 2043	82,550	146,050	41,275	2,767
683/372	VKHB 2042	95,250	100,000	41,275	3,680
537/532	VKHB 2014	50,800	107,950	36,512	1,497
HM 215249/HM 215210	VKHB 2050	75,987	131,975	39	2,083




ISO	GOST	Dimensions (mm)			Weight (kg)
		d	D	B	
7004 C	36104	20	42	12	0,066
7005 C	36105	25	47	12	0,077
7006 C	36106	30	55	13	0,114
7007 C	36107	35	62	14	0,150
7008 C	36108	40	68	15	0,190
7009 C	36109	45	75	16	0,240
7010 C	36110	50	80	16	0,260
7011 C	36111	55	90	18	0,380
7012 C	36112	60	95	18	0,400
7013 C	36113	65	100	18	0,420
7014 C	36114	70	110	20	0,590
7015 C	36115	75	115	20	0,620
7016 C	36116	80	125	22	0,840
7017 C	36117	85	130	22	0,890
7018 C	36118	90	140	24	1,150
7019 C	36119	95	145	24	1,200
7020 C	36120	100	150	24	1,260
7201 C	36201	12	32	10	0,036
7202 C	36202	15	35	11	0,045
7203 C	36203	17	40	12	0,065
7204 C, B, AC	36204-66204-46204	20	47	14	0,110
7205 C, B, AC	36205-66205-46205	25	52	15	0,130
7206 C, B, AC	36206-66206-46206	30	62	16	0,200
7207 C, B, AC	36207-66207-46207	35	72	17	0,280
7208 C, B, AC	36208-66208-46208	40	80	18	0,370
7209 C, B, AC	36209-66209-46209	45	85	19	0,420





ISO	GOST	Dimensions (mm)			Weight (kg)
		d	D	B	
7210 C, B, AC	36210-66210-46210	50	90	20	0,470
7211 C, B, AC	36211-66211-46211	55	100	21	0,620
7212 C, B, AC	36212-66212-46212	60	110	22	0,800
7213 C, B, AC	36213-66213-46213	65	120	23	1,000
7214 C, B, AC	36214-66214-46214	70	125	24	1,100
7215 C, B, AC	36215-66215-46215	75	130	25	1,200
7216 C, AC	36216- -46216	80	140	26	1,450
7217 C	36217	85	150	28	1,850
7218 C	36218	90	160	30	2,300
7219 C	36219	95	170	32	2,700
7220 C	36220	100	180	34	3,300
7305 C, B, AC	36305-66305-46305	25	62	17	0,230
7306 C, B, AC	36306-66306-46306	30	72	19	0,340
7307 C, B, AC	36307-66307-46307	35	80	21	0,450
7308 C, B, AC	36308-66308-46308	40	90	23	0,630
7309 C, B, AC	36309-66309-46309	45	100	25	0,850
7310 C, B, AC	36310-66310-46310	50	110	27	1,100
7311 C, B, AC	36311-66311-46311	55	120	29	1,400
7312 C, B, AC	36312-66312-46312	60	130	31	1,750
7313 C, B, AC	36313-66313-46313	65	140	33	2,150
7314 C, B, AC	36314-66314-46314	70	150	35	2,650
7315 C, B, AC	36315-66315-46315	75	160	37	3,200
7316 C, AC	36316- -46316	80	170	39	3,800
7317 C, AC	36317- -46317	85	180	41	4,450
7318 C, AC	36318- -46318	90	190	43	5,200
7319 C, AC	36319- -46319	95	200	45	6,500
7320 C, AC	36320- -46320	100	215	47	7,500



ISO	GOST	Dimensions (mm)			Weight (kg)
		d	D	B	
1205K+H205	11204	20	52	26	0,200
1206K+H206	11205	25	62	27	0,300
1207K+H207	11206	30	72	29	0,500
1208K+H208	11207	35	80	31	0,600
1209K+H209	11208	40	85	33	0,700
1210K+H210	11209	45	90	35	0,800
1211K+H211	11210	50	100	37	1,000
1212K+H212	11211	55	110	38	1,200
1213K+H213	11212	60	120	40	1,600
1215K+H215	11213	65	130	43	2,100
1216K+H216	11214	70	140	46	2,600
1217K+H217	11215	75	150	50	3,100
1218K+H218	11216	80	160	52	3,700
1306K+H306	11305	25	72	31	0,500
1307K+H307	11306	30	80	35	0,700
1308K+H308	11307	35	90	36	0,900
1309K+H309	11308	40	100	39	1,200
1310K+H310	11309	45	110	42	1,500
1311K+H311	11310	50	120	45	1,900
1312K+H312	11311	55	130	47	2,400
1313K+H313	11312	60	140	50	2,800




ISO	GOST	Dimensions (mm)			Weight (kg)
		d	D	B	
2206	1506	30	30	20	0,260
2207	1507	35	35	23	0,405
2208	1508	40	40	23	0,505
2209	1509	45	45	23	0,545
2210	1510	50	50	23	0,590
2211	1511	55	55	25	0,810
2212	1512	60	60	28	1,100
2213	1513	65	65	31	1,450
2214	1514	70	70	31	1,500
2215	1515	75	75	31	1,600
2216	1516	80	80	33	2,150
2217	1517	85	85	36	2,670
2218	1518	90	90	40	3,370
2220	1520	100	100	46	4,940
2304	1604	20	52	21	0,210
2305	1605	25	62	24	0,335
2306	1606	30	72	27	0,500
2307	1607	35	80	31	0,675
2308	1608	40	90	33	0,925
2309	1609	45	100	36	1,230
2310	1610	50	110	40	1,630
2311	1611	55	120	43	2,100
2312	1612	60	130	46	2,600
2313	1613	65	140	48	3,200
2314	1614	70	150	51	3,920
2315	1615	75	160	55	4,780
2316	1616	80	170	58	5,650




**sealed
2RS**


ISO	GOST	Dimensions (mm)			Weight (kg)
		d	D	B	
62200 2RS	180500	10	30	14	0,045
62201 2RS	180501	12	32	14	0,050
62202 2RS	180502	15	35	14	0,057
62203 2RS	180503	17	40	16	0,083
62204 2RS	180504	20	47	18	0,133
62205 2RS	180505	25	52	18	0,150
62206 2RS	180506	30	62	20	0,247
62207 2RS	180507	35	72	23	0,313
62208 2RS	180508	40	80	23	0,467
62209 2RS	180509	45	85	23	0,625
62210 2RS	180510	50	90	23	0,726
62212 2RS	180512	60	110	28	0,970
62302 2RS	180602	15	42	17	0,108
62303 2RS	180603	17	47	19	0,150
62304 2RS	180604	20	52	21	0,201
62305 2RS	180605	25	62	24	0,316
62306 2RS	180606	30	72	27	0,500
62307 2RS	180607	35	80	31	0,650
62308 2RS	180608	40	90	33	0,890
62309 2RS	180609	45	100	36	1,190
62310 2RS	180610	50	110	40	1,500
62312 2RS	180612	60	130	46	1,950





ISO	GOST	Dimensions (mm)			Weight (kg)
		d	D	B	
51100	8100	10	24	9	0,020
51101	8101	12	26	9	0,022
51102	8102	15	28	9	0,024
51103	8103	17	30	9	0,028
51104	8104	20	35	10	0,040
51105	8105	25	42	11	0,059
51106	8106	30	47	11	0,068
51107	8107	35	52	12	0,090
51108	8108	40	60	13	0,120
51109	8109	45	65	14	0,150
51110	8110	50	70	14	0,160
51111	8111	55	78	16	0,240
51112	8112	60	85	17	0,290
51113	8113	65	90	18	0,340
51114	8114	70	95	18	0,360
51115	8115	75	100	19	0,420
51116	8116	80	105	19	0,430
51117	8117	85	110	19	0,460
51118	8118	90	120	22	0,680
51120	8120	100	135	25	0,990
51122	8122	110	145	25	1,060
51124	8124	120	155	25	1,124
51126	8126	130	170	30	1,730
51128 M	8128Л	140	180	31	2,140
51130 M	8130Л	150	190	31	2,190
51132 M	8132Л	160	200	31	2,420
51134 M	8134Л	170	215	34	3,100
51136 M	8136Л	180	225	34	3,240
51140 M	8140Л	200	250	37	4,410
51144 M	8144Л	220	270	37	4,800
51148 M	8148Л	240	300	45	7,610
51152 M	8152Л	260	320	45	8,240
51156 M	8156Л	280	350	53	12,30





ISO	GOST	Dimensions (mm)			Weight (kg)
		d	D	H	
51200	8200	10	26	11	0,030
51201	8201	12	28	11	0,034
51202	8202	15	32	12	0,046
51203	8203	17	35	12	0,053
51204	8204	20	40	14	0,082
51205	8205	25	47	15	0,120
51206	8206	30	52	16	0,150
51207	8207	35	62	18	0,220
51208	8208	40	68	19	0,270
51209	8209	45	73	20	0,320
51210	8210	50	78	22	0,390
51211	8211	55	90	25	0,610
51212	8212	60	95	26	0,690
51213	8213	65	100	27	0,770
51214	8214	70	105	27	0,810
51215	8215	75	110	27	0,860
51216	8216	80	115	28	0,950
51217	8217	85	125	31	1,300
51218	8218	90	135	35	1,770
51220	8220	100	150	38	2,350
51222	8222	110	160	38	2,400
51224	8224	120	170	39	2,650
51226	8226	130	190	45	4,000
51228	8228	140	200	46	4,350
51230 M	8230П	150	215	50	6,540
51232 M	8232П	160	225	51	6,240
51236 M	8236П	180	250	56	8,370
51240 M	8240П	200	280	62	12,70
51244 M	8244П	220	300	63	13,90
51248 M	8248П	240	340	78	23,80
51256 M	8256П	280	380	80	28,20



ISO	GOST	Dimensions (mm)			Weight (kg)
		d	D	H	
51305	8305	25	52	18	0,180
51306	8306	30	60	21	0,270
51307	8307	35	68	24	0,390
51308	8308	40	78	26	0,550
51309	8309	45	85	28	0,662
51310	8310	50	95	31	0,940
51311	8311	55	105	35	1,340
51312	8312	60	110	35	1,450
51313	8313	65	115	36	1,490
51314	8314	70	125	40	2,060
51315	8315	75	135	44	2,610
51316	8316	80	140	44	2,720
51317	8317	85	150	49	3,530
51318	8318	90	155	50	3,800
51320 M	8320Л	100	170	55	5,100
51322 M	8322Л	110	190	63	7,850
51324 M	8324Л	120	210	70	9,920
51326 M	8326Л	130	225	75	13,90
51330 M	8330Л	150	250	80	17,10
51336 M	8336Л	180	300	95	28,50
51340 M	8340Л	200	340	110	44,20
51420 M	8420Л	100	210	85	15,30
51426 M	8426Л	130	270	110	31,90



ISO		Dimensions (mm)			Weight (kg)
open	sealed	d	D	B	
GE 6 E		6	14	6	0,004
GE 8 E		8	16	8	0,008
GE 10 E		10	19	9	0,012
GE 12 E		12	22	10	0,017
GE 15 ES	GE 15 ES-2RS	15	26	12	0,032
GE 17 ES	GE 17 ES-2RS	17	30	14	0,050
GE 20 ES	GE 20 ES-2RS	20	35	16	0,065
GE 25 ES	GE 25 ES-2RS	25	42	20	0,120
GE 30 ES	GE 30 ES-2RS	30	47	22	0,160
GE 35 ES	GE 35 ES-2RS	35	55	25	0,230
GE 40 ES	GE 40 ES-2RS	40	62	28	0,320
GE 45 ES	GE 45 ES-2RS	45	68	32	0,460
GE 50 ES	GE 50 ES-2RS	50	75	35	0,560
GE 60 ES	GE 60 ES-2RS	60	90	44	1,100
GE 70 ES	GE 70 ES-2RS	70	105	49	1,550
GE 80 ES	GE 80 ES-2RS	80	120	55	2,300
GE 90 ES	GE 90 ES-2RS	90	130	60	2,750
GE 100 ES	GE 100 ES-2RS	100	150	70	4,400
GE 110 ES	GE 110 ES-2RS	110	160	70	4,800
GE 120 ES	GE 120 ES-2RS	120	180	85	8,250




GOST	Dimensions (mm)			Weight (kg)
	d	D	B	
Ш 6	6	14	4/6	0,005
Ш 8	8	17	5/8	0,008
Ш 10	10	20	6/9	0,012
ШСП 12	12	22	7/10	0,016
ШСП 15	15	28	8/12	0,035
ШСП 17	17	32	10/14	0,048
ШСП 20	20	35	12/16	0,066
ШСП 25	25	42	16/20	0,117
ШС 30	30	47	18/22	0,159
ШСП 35	35	55	21/26	0,236
ШСП 40	40	62	22/28	0,332
ШСП 45	45	70	25/32	0,462
ШСП 50	50	75	35/28	0,562
ШСП 55	55	85	40/32	0,879
ШСЛ 60	60	90	34/44	0,940
6 ШСЛ 60	60	130	70/85	6,000
ШСЛ 70	70	105	40/49	1,560
ШСЛ 80	80	125	70/76	3,780
ШСЛ 90k1	90	130	50/60	2,820
ШСЛ 100k	100	125	25/30	5,120
ШСЛ 110k1	110	150	35/40	1,900
ШСЛ 120	120	180	70/85	8,090
ШСЛ 130	130	200	52/95	8,930




AUTOMOTIVE CLUTCH BEARINGS

GOST	Dimensions (mm)			Weight (kg)
	d	D	B	
588911	52,388	84,5	20,84	0,380
688811	55,000	90/89	21,00	0,410
688911	52,388	84,5/83,5	20,70	0,380
986714k1	70,000	105	21,50	0,422
9588213	65,000	100	21,00	0,623
9588214	70,000	105	21,50	0,660
9588217	85,000	125	24,50	0,866


CLUTCH RELEASE BEARING



NSK	NTN	KOYO	NACHI	MRK	D/D/T (mm)
TK40-14Au3	SF0815	RCT4064SLI	40TRK39-4SB	TK40-14K	66/40/16
TK40-4Au3	SF0820	RCT4075-1S	40TRK-1	TK40-4AK	74.5/40/19
TK40-16Au3	SF0845	RCT40	40TRK30W1SB	TK40-16K	70/40/20
TK33Z-1	SF0743	TCT3350A	BC7SIH2SB	TK33Z-1K	60/33/17
TK45-4Bu3	SF0914	RCT45-1S		TK45-4BK	73.6/45/18
24TK308B2	SF0818	RCT38SL1	BC12S4SB	24TK3088K	67/38.1/16.4
TK40-1B2	SF0823	RCT4067	40TSK-2	TK40-1K	67/40/18.45
24TK308E1	24TK308Y	CT38-1L1	BC12S	24TK308KE	67/38.1/15.88
TK52Z-1B	52TMK804	RCT52S	BC11S2	TK52	94/52.4/20
40TMK29B1	40TMK29	41TMK29	40TMK29-1	40TMK29K	63.6/40/14
40TKD07	SF0859	RCT4067A2RS	40TRBC07-24		67/40/20
44TKB2805R		RCT282SA			57/28/29
TK55-1A	55TMK804X	CT55BL1	55TMK804		88/55/19.6
		62TMK20-1			96.8/62/22.15
TK52Z	52TMK804	CT52A-1	BC11S3		97/52/19.88
TK70-1A	SF1412	CT70B	70TNK-1		
		CT5582			


**NA 69...**

ISO	GOST	Dimensions(mm)			Weight (kg)
		d	D	B	
NA 6901	NA 6901 2RS	12	24	22	0,046
NA 6902	NA 6902 2RS	15	28	23	0,064
NA 6903	NA 6903 2RS	17	30	23	0,072
NA 6904	NA 6904 2RS	20	37	30	0,140
NA 6905	NA 6905 2RS	25	42	30	0,160
NA 6906	NA 6906 2RS	30	47	30	0,190
NA 6907	NA 6907 2RS	35	55	36	0,310
NA 6908	NA 6908 2RS	40	62	40	0,430
NA 6909	NA 6909 2RS	40	68	40	0,500
NA 6910	NA 6910 2RS	50	72	40	0,520
NA 6911	NA 6911 2RS	55	80	45	0,780
NA 6912	NA 6912 2RS	60	85	45	0,810
NA 6913	NA 6913 2RS	65	90	45	0,830
NA 6914	NA 6914 2RS	70	100	54	1,350
NA 6915	NA 6915 2RS	75	105	54	1,450
NA 6916	NA 6916 2RS	80	110	54	1,500
NA 6917	NA 6917 2RS	85	120	63	2,200
NA 6918	NA 6918 2RS	90	125	63	2,300
NA 6919	NA 6919 2RS	95	130	63	2,500


HK...

ISO	Dimensions(mm)			Weight (kg)
	Fw	D	C	
HK0306	3	6,5	6	0,0010
HK0408	4	8	8	0,0016
HK0508	5		8	
HK0509	5	9	9	0,0020
HK0607	6		7	
HK0608	6	10	8	0,0021
HK0609	6	10	9	0,0025
HK0611	6		11	
HK0709	7	11	9	0,0026
HK071108	7	11	8	
HK071208	7	12	8	
HK0808	8	12	8	0,0027
HK0810	8	12	10	0,0030
HK0812	8	12	12	0,0035
HK081410	8	14	10	
HK0815	8		15	
HK0908	9	13	8	0,0030
HK0910	9	13	10	0,0040
HK0912	9	13	12	0,0046
HK091312	9	13	12	
HK091510	9	15	10	
HK091513	9	15	13	
HK1010	10	14	10	0,0041
HK1012	10	14	12	0,0048
HK1015	10	14	15	0,0060
HK101610	10	16	10	
HK101615	10	16	15	

ISO	Dimensions(mm)			Weight (kg)
	Fw	D	C	
HK1210	12	16	10	0,0046
HK1212	12	18	12	0,0091
HK121612	12	16	12	
HK121712	12	17	12	
HK121718	12	17	18	
HK121812	12	18	12	
HK1312	13	19	12	0,0095
HK1412	14	20	12	0,0105
HK1414	14		14	
HK1512	15	21	12	0,0110
HK1516	15	21	16	0,0150
HK152012	15	20	12	
HK152016	15	20	16	
HK1522	15	21	22	0,0200
HK152212	15	22	12	
HK1612	16	22	12	0,0120
HK1616	16	22	16	0,0160
HK162109	16	21	9	
HK1622	16	22	22	0,0220
HK1712	17	23	12	0,0120
HK171218	17	12	18	
HK1720	17		20	
HK172314	17	23	14	
HK172322	17	23	22	
HK172514	17	25	14	
HK172518	17	25	18	
HK172520	17	25	20	
HK1812	18	24	12	0,0130





Hoping Enterprise Co., Ltd.
Zhejiang Changxing Xin Rui Machinery Co., Ltd.

Export office:
Tel: +86-571-28868086
Fax: +86-571-85060747
Email: director@hopingbearing.com
Skype: janelii77
Web: www.hopingbearing.com

Factory Add: No.6 Bao qiao Road, Xinxing industrial park,
Zhi Cheng Town, Changxing

